

















Model No.	Product Description	Images	HS CODE	List Price per unit in US Dollars
CL-DEVR	Cable Lockout - Comprises Base + Tightening Wheel. Manufactured from heat resistant Nylon PA66. Color: Red. Dimenisions: 73mm Dia x Height 37mm. Brand: KAB-O-LOK™		39269099	\$8.58
KABTOOL-R	KAB-TOOL Operating Tool for KAB-O-LOK™ Cable Lockout. Color: Red. Dimenisions: 76mm Dia x Height 13mm. Brand: KAB-O-LOK™		39269099	\$3.82
CL-DEVY	Cable Lockout - Comprises Base + Tightening Wheel. Manufactured from heat resistant Nylon PA66. Color: Yellow. Dimenisions: 73mm Dia x Height 37mm. Brand: KAB-O-LOK™		39269099	\$8.58
KABTOOL-Y	KAB-TOOL Operating Tool for KAB-O-LOK™ Cable Lockout. Color: Yellow. Dimenisions: 76mm Dia x Height 13mm. Brand: KAB-O-LOK™		39269099	\$3.82
CL-DEVG	Cable Lockout - Comprises Base + Tightening Wheel. Manufactured from heat resistant Nylon PA66. Color: Green. Dimenisions: 73mm Dia x Height 37mm. Brand: KAB-O-LOK™		39269099	\$8.58
KABTOOL-G	KAB-TOOL Operating Tool for KAB-O-LOK™ Cable Lockout. Color: Green. Dimenisions: 76mm Dia x Height 13mm. Brand: KAB-O-LOK™		39269099	\$3.82
CL-CAB2R	Cable - Steel Galvanised PVC coated with Aluminium eye at one end and crimped brass cap at other end. Color: Red. Dimensions: I.D. 2.5mm x O.D. 3.8mm x L 2.0 Mtrs. Brand: KAB-O-LOK™		39269099	\$3.72
CL-CAB5R	Cable - Steel Galvanised PVC coated with Aluminium eye at one end and crimped brass cap at other end. Color: Red. Dimensions: I.D. 2.5mm x O.D. 3.8mm x L 5.0 Mtrs. Brand: KAB-O-LOK™		39269099	\$9.20

LOCKOUT / TAGOUT (LO/TO) & ARC FLASH PROTECTION PPE SOLUTIONS

Model No.	Product Description	Images	HS CODE	List Price per unit in US Dollars
CL-CAB10R	Cable - Steel Galvanised PVC coated with Aluminium eye at one end and crimped brass cap at other end. Color: Red. Dimensions: I.D. 2.5mm x O.D. 3.8mm x L 10.0 Mtrs. Brand: KAB-O-LOK™		39269099	\$18.00
CL-CAB2Y	Cable - Steel Galvanised PVC coated with Aluminium eye at one end and crimped brass cap at other end. Color: Yellow. Dimensions: I.D. 2.5mm x O.D. 3.8mm x L 2.0 Mtrs. Brand: KAB-O-LOK™		39269099	\$3.72
CL-CAB5Y	Cable - Steel Galvanised PVC coated with Aluminium eye at one end and crimped brass cap at other end. Color: Yellow. Dimensions: I.D. 2.5mm x O.D. 3.8mm x L 5.0 Mtrs. Brand: KAB-O-LOK™		39269099	\$9.20
CL-CAB10Y	Cable - Steel Galvanised PVC coated with Aluminium eye at one end and crimped brass cap at other end. Color: Yellow. Dimensions: I.D. 2.5mm x O.D. 3.8mm x L 10.0 Mtrs. Brand: KAB-O-LOK™		39269099	\$18.00
CL-CAB2G	Cable - Steel Galvanised PVC coated with Aluminium eye at one end and crimped brass cap at other end. Color: Green. Dimensions: I.D. 2.5mm x O.D. 3.8mm x L 2.0 Mtrs. Brand: KAB-O-LOK™		39269099	\$3.72
CL-CAB5G	Cable - Steel Galvanised PVC coated with Aluminium eye at one end and crimped brass cap at other end. Color: Green. Dimensions: I.D. 2.5mm x O.D. 3.8mm x L 5.0 Mtrs. Brand: KAB-O-LOK™		39269099	\$9.20
CL-CAB10G	Cable - Steel Galvanised PVC coated with Aluminium eye at one end and crimped brass cap at other end. Color: Green. Dimensions: I.D. 2.5mm x O.D. 3.8mm x L 10.0 Mtrs. Brand: KAB-O-LOK™		39269099	\$18.00
CL-SPL-RD50M	Cable - Steel Galvanised PVC coated Color: Red. Dimensions: I.D. 2.5mm x O.D. 3.8mm x L 50.0 Mtrs. Brand: KAB-O-LOK™		39269099	\$42.00

LOCKOUT / TAGOUT (LO/TO) & ARC FLASH PROTECTION PPE SOLUTIONS

Model No.	Product Description	Images	HS CODE	List Price per unit in US Dollars
CL-SPL-YL50M	Cable - Steel Galvanised PVC coated Color: Yellow Dimensions: I.D. 2.5mm x O.D. 3.8mm x L 50.0 Mtrs. Brand: KAB-O-LOK™		39269099	\$42.00
CL-SPL-GN50M	Cable - Steel Galvanised PVC coated Color: Green. Dimensions: I.D. 2.5mm x O.D. 3.8mm x L 50.0 Mtrs. Brand: KAB-O-LOK™		39269099	\$42.00
FRL-AL	Aluminium Ferrules		76161000	\$0.25
Cable Cutter	Cable Cutter			\$21.60

LOCKOUT / TAGOUT (LO/TO) & ARC FLASH PROTECTION PPE SOLUTIONS